

GG-SS316LF Stainless Steel 316 Rivet


Large flange head · Stainless steel 316 body · Stainless steel 316 stem
4.8 mm (3/16")

Features

- Good hole fill provides strong, vibration resistant joints
- Corrosion resistant, suitable for applications in marine and hostile environments
- Compensates for irregular, oversized, slotted or misaligned holes
- Can stop sheet movement in non-standard holes
- Retained stem avoids damage, electrical problems or rattling caused by loose stems

Material

- Body: Stainless steel 316
- Stem: Stainless steel 316



Part No.	Size ø	Grip Range		Hole Size	L	øB	øE	Shear (typical)	Tension (typical)
		min.	max.						
GG-SS316-0614LF	4.8 (3/16")	8.0	9.5	4.9	14.0	15.0	3.2	4.0	5.0
GG-SS316-0616LF		9.5	11.0		16.0				
GG-SS316-0620LF		11.0	15.0		20.0				
GG-SS316-0625LF		15.0	20.0		25.0				
GG-SS316-0630LF		20.0	25.0		30.0				
GG-SS316-0635LF		25.0	30.0		35.0				



Can't find what you are looking for?

We can provide customized finishing and colouring.
Contact your nearest [Gripwell](http://www.gripwell.com.sg) team for assistance!